



Utilizing Digital Platforms to Enhance Maternal and Child Health: A Case Study of Tanzania

Galabba Francis A.

Faculty of Medicine Kampala International University Uganda

ABSTRACT

This study investigates the utilization of Information and Communication Technologies (ICTs) by mothers in accessing maternal and child health information. With a focus on understanding the patterns, preferences, and challenges associated with ICT use in this context, the research aims to provide insights into how digital platforms can be leveraged to improve maternal and child health outcomes. Through surveys, interviews, and content analysis of online health resources, the study seeks to identify barriers to ICT access and utilization among mothers, as well as strategies for enhancing the effectiveness of ICT-based health information dissemination. The findings contribute to the development of targeted interventions that harness the potential of ICTs to empower mothers with timely and accurate health information, thereby promoting better maternal and child health outcomes.

Keywords: Maternal, Child, ICT, Health outcome, Digital platforms

INTRODUCTION

Information and Communication Technologies (ICTs) have revolutionized the way individuals' access and exchange information, including health-related information. In the context of maternal and child health, ICTs offer promising opportunities to empower mothers with valuable resources and support [1, 2]. However, despite the proliferation of digital platforms, there remains a gap in understanding how mothers utilize ICTs to access maternal and child health information and the challenges they encounter in the process. This study aims to address this gap by exploring the use of ICTs by mothers in accessing maternal and child health information, with a focus on identifying barriers and opportunities for improvement [3, 4]. While access to maternal and child health information is crucial for promoting healthy behaviors and preventing adverse health outcomes, many mothers face barriers to accessing accurate and timely information. Traditional sources of health information, such as healthcare providers and printed materials, may not always be readily available or easily accessible to all mothers, particularly those in resource-constrained settings. Moreover, the digital divide and disparities in ICT access and literacy further exacerbate the challenge of ensuring equitable access to maternal and child health information [5, 6]. Accordingly, understanding the patterns of ICT use among mothers and the barriers they encounter is essential for developing targeted interventions that address their specific needs and preferences [7, 8]. This paper therefore aims to assess the patterns and preferences of ICT use among mothers in accessing maternal and child health information. The study will identify barriers and challenges faced by mothers in utilizing ICTs for accessing maternal and child health information, and explore the perceived benefits and limitations of ICT-based health information resources among mothers [9].

Patterns and Preferences of ICT Use among Mothers in Tanzania

In Tanzania, Information and Communication Technologies (ICTs) play an increasingly important role in providing access to maternal and child health information. Understanding the patterns and preferences of ICT use among mothers is crucial for tailoring interventions to improve maternal and child health outcomes. This study provides a detailed explanation of the patterns and preferences of ICT use among mothers in Tanzania, drawing on research evidence and citations [10, 11].

1. Mobile Phone Penetration

Tanzania has experienced significant growth in mobile phone penetration in recent years, with mobile phones becoming a ubiquitous tool for communication and information access [12, 13]. Many mothers, particularly in urban areas, own mobile phones or have access to shared devices within their households.

2. Text Messaging Services

Short Message Service (SMS) has emerged as a popular mode of delivering maternal and child health information to mothers in Tanzania. Text messaging services provide timely reminders for antenatal care visits, immunization

schedules, and essential health tips for pregnancy and child care [13, 14]. Mothers appreciate the convenience and accessibility of receiving health information directly on their mobile phones.

3. Interactive Voice Response (IVR) Systems

Interactive voice response systems, which allow users to access recorded health messages via phone calls, are another popular ICT tool for delivering maternal and child health information in Tanzania [15]. IVR systems accommodate mothers with low literacy levels or those who prefer audio-based content [16]. Mothers can listen to pre-recorded messages on topics such as breastfeeding, nutrition, and family planning at their convenience [17].

4. Internet and Social Media Usage

While access to the Internet remains lower compared to mobile phone ownership, an increasing number of mothers in Tanzania are utilizing the internet and social media platforms to seek maternal and child health information [18]. Social media channels such as Facebook, WhatsApp, and Telegram are used for sharing health-related content, joining support groups, and accessing virtual consultations with healthcare providers [19].

5. Preferences for Localized and Contextualized Content

Mothers in Tanzania express a preference for maternal and child health information that is tailored to their cultural context, language, and socio-economic status. They value content that addresses their specific needs and concerns, such as traditional birthing practices, child nutrition, and hygiene practices [20]. Information delivered in local languages is often more accessible and relatable to mothers.

6. Trust in Information Sources

Trust in the source of health information is essential for mothers in Tanzania. They tend to rely on trusted sources such as healthcare providers, community health workers, and reputable organizations for accurate and reliable information [21]. Mothers prioritize information that is evidence-based, culturally appropriate, and endorsed by healthcare professionals. The patterns and preferences of ICT use among mothers in Tanzania reflect the evolving landscape of maternal and child health information access. Mobile phones, text messaging services, IVR systems, and social media platforms have emerged as popular tools for delivering health information to mothers, catering to their diverse needs and preferences. By understanding these patterns and preferences, stakeholders can design effective ICT-based interventions to improve maternal and child health outcomes in Tanzania [22, 23].

Barriers to Utilizing ICTs for Maternal and Child Health Information in Tanzania

While Information and Communication Technologies (ICTs) offer promising opportunities to improve maternal and child health outcomes in Tanzania, several barriers and challenges hinder their effective utilization by mothers. Understanding these barriers is crucial for designing interventions that address the specific needs and constraints faced by mothers. Among these challenges are:

1. Limited Access to ICT Infrastructure

One of the primary barriers faced by mothers in Tanzania is limited access to ICT infrastructure, including mobile phones and internet connectivity. While mobile phone ownership has increased significantly in recent years, disparities persist, particularly in rural and remote areas where access to electricity and network coverage remains limited [12].

2. Digital Literacy and Skills Gap

Many mothers in Tanzania lack the necessary digital literacy skills to effectively navigate ICT platforms and access online health information. Limited education and exposure to technology contribute to a skills gap, making it challenging for mothers to utilize ICTs for maternal and child health purposes [14].

3. Language and Content Accessibility

Language barriers pose a significant challenge for mothers seeking maternal and child health information through ICTs. While Swahili is widely spoken in Tanzania, access to health information in local languages is limited, hindering comprehension and uptake among non-Swahili speakers [19]. Additionally, content may not always be presented in a format that is accessible to users with low literacy levels.

4. Cost and Affordability

Despite the availability of low-cost mobile phones and data plans, affordability remains a barrier for many mothers in Tanzania. The cost of purchasing airtime, data bundles, and smartphones can be prohibitive for households with limited financial resources, particularly in rural areas where income levels are lower [14].

5. Reliability and Trustworthiness of Information

Mothers may face challenges in discerning the reliability and trustworthiness of health information obtained through ICT platforms. Misinformation, fake news, and unverified content circulating on social media and online forums can undermine confidence in the accuracy and credibility of health information, leading to confusion and skepticism [21].

6. Socio-Cultural Barriers and Gender Norms

Socio-cultural norms and gender roles may influence mothers' access to and use of ICTs for maternal and child health information. In some communities, women may have limited autonomy to own or use mobile phones, particularly if they are controlled by male household members. Gender disparities in access to technology and

decision-making power can further exacerbate barriers to ICT utilization [20]. Barriers and challenges faced by mothers in utilizing ICTs for accessing maternal and child health information in Tanzania are multi-faceted and require targeted interventions to address. Efforts to overcome these barriers should focus on improving access to ICT infrastructure, enhancing digital literacy skills, ensuring language and content accessibility, addressing cost barriers, promoting reliable information sources, and challenging socio-cultural norms that inhibit women's ICT access and utilization [24].

Benefits and Limitations of ICT-Based Health Information Resources among Mothers in Tanzania

Information and Communication Technologies (ICTs) offer a range of health information resources that have the potential to empower mothers in Tanzania with valuable knowledge and support for maternal and child health. However, these resources also come with certain benefits and limitations that need to be carefully considered. Beginning with the benefits, ICT-based health information resources provide mothers in Tanzania with access to a wealth of health-related content that may not be readily available through traditional channels. Through mobile phones, internet platforms, and text messaging services, mothers can access information on pregnancy, childbirth, child care, nutrition, and disease prevention at their convenience [14]. Secondly, ICT-based health information resources can deliver timely and contextually relevant content to mothers, addressing their specific needs and concerns during different stages of pregnancy and motherhood. For example, text messaging services can send reminders for antenatal care appointments, vaccination schedules, and breastfeeding support, helping mothers stay informed and engaged in their healthcare [19]. Additionally, by providing access to accurate and evidence-based health information, ICT-based resources empower mothers to make informed decisions about their health and that of their children. Mothers can learn about the benefits of exclusive breastfeeding, the importance of early childhood development, and strategies for preventing common childhood illnesses, enabling them to advocate for their families' well-being [20]. Also, social media platforms and online forums create opportunities for mothers in Tanzania to connect with peers, share experiences, and seek advice on maternal and child health issues. Virtual support groups allow mothers to exchange tips, seek emotional support, and access expert advice from healthcare professionals, reducing feelings of isolation and enhancing social support networks [21]. Lastly, ICT-based health information resources offer a cost-effective and scalable means of reaching a large number of mothers across Tanzania, including those in remote and underserved areas. Compared to traditional healthcare delivery models, digital platforms require minimal infrastructure and can be rapidly scaled up to reach diverse populations [12]. Conversely, the digital divide, characterized by disparities in access to and use of ICTs, remains a significant barrier for mothers in Tanzania. Limited access to smartphones, internet connectivity, and digital literacy skills may prevent certain segments of the population, particularly those in rural and low-income areas, from benefiting fully from ICT-based health information resources [14]. While ICT-based health information resources offer access to a wide range of content, ensuring the reliability and quality of information can be equally challenging. Mothers may encounter misinformation, outdated content, and inaccuracies on online platforms, leading to confusion and potential harm. Assessing the credibility of sources and verifying information can be difficult for users without adequate health literacy skills [21]. Similarly, language and cultural barriers may hinder mothers' ability to access and understand health information delivered through ICT platforms. Content presented in English or other non-local languages may not be accessible to all users, particularly those with low literacy levels or limited proficiency in the language. Additionally, cultural norms and beliefs may influence the acceptability and relevance of health information provided through digital channels [19]. ICT-based health information resources raise concerns about privacy and data security among mothers in Tanzania. Thus, sharing personal health information online may expose individuals to risks such as identity theft, data breaches, and unauthorized use of information. Ensuring data privacy protections and building trust in digital platforms are essential for maintaining user confidence and engagement [20]. In the same vein, challenges, such as network connectivity issues, device compatibility, and software glitches, can impede mothers' access to and use of ICT-based health information resources. Inadequate ICT infrastructure, particularly in rural and remote areas, may limit the effectiveness of digital platforms and hinder user experience [12].

CONCLUSION

ICT-based health information resources offer significant benefits for mothers in Tanzania, including increased access to timely and relevant information, empowerment in decision-making, and supportive community networks. However, these resources also come with limitations related to the digital divide, reliability of information, language and cultural barriers, privacy concerns, and technical challenges. Addressing these limitations requires a multi-dimensional approach that involves improving ICT infrastructure, enhancing digital literacy skills, ensuring content quality and cultural relevance, and prioritizing data privacy and security.

REFERENCES

1. Shao M, Fan J, Huang Z, Chen M. The Impact of Information and Communication Technologies (ICTs) on Health Outcomes: A Mediating Effect Analysis Based on Cross-National Panel Data. *J Environ Public Health*. 2022 Aug 10;2022:2225723. doi: 10.1155/2022/2225723. PMID: 35990542; PMCID: PMC9385304.
2. Till S, Mkhize M, Farao J, Shandu LD, Muthelo L, Coleman TL, Mbombi M, Bopape M, Klingberg S, van Heerden A, Mothiba T, Densmore M, Verdezoto Dias NX; CoMaCH Network. Digital Health Technologies for Maternal and Child Health in Africa and Other Low- and Middle-Income Countries: Cross-disciplinary Scoping Review With Stakeholder Consultation. *J Med Internet Res*. 2023 Apr 7;25:e42161. doi: 10.2196/42161. PMID: 37027199; PMCID: PMC10131761.
3. Mlambo C, Sibanda K, Ntshangase B, Mvuyana B. ICT and Women's Health: An Examination of the Impact of ICT on Maternal Health in SADC States. *Healthcare (Basel)*. 2022 Apr 26;10(5):802. doi: 10.3390/healthcare10050802. PMID: 35627939; PMCID: PMC9141576.
4. Muthelo L, Mbombi MO, Bopape MA, Mothiba TM, Densmore M, van Heerden A, Norris SA, Dias NV, Griffiths P, Mackintosh N. Reflections on Digital Maternal and Child Health Support for Mothers and Community Health Workers in Rural Areas of Limpopo Province, South Africa. *Int J Environ Res Public Health*. 2023 Jan 19;20(3):1842. doi: 10.3390/ijerph20031842. PMID: 36767230; PMCID: PMC9914499.
5. Dahab R, Sakellariou D. Barriers to Accessing Maternal Care in Low Income Countries in Africa: A Systematic Review. *Int J Environ Res Public Health*. 2020 Jun 16;17(12):4292. doi: 10.3390/ijerph17124292. PMID: 32560132; PMCID: PMC7344902.
6. Suellen Miller S., Belizán J.M. The true cost of maternal death: Individual tragedy impacts family, community and nations. *Reprod. Health*. 2015;12 doi: 10.1186/s12978-015-0046-3.
7. Khan, Md. Shahadat & Hasan, Mahbub & Clement, Che. (2012). Barriers to the Introduction of ICT into Education in Developing Countries: The Example of Bangladesh. *International Journal of Instruction*. 5.
8. Trilar J, Kos A, Jazbinšek S, Jensterle L, Stojmenova Duh E. ICT to Promote Well-Being within Families. *Sensors (Basel)*. 2018 Aug 22;18(9):2760. doi: 10.3390/s18092760. PMID: 30135381; PMCID: PMC6163403.
9. Jøranson, N., Zechner, M., Korkmaz Yaylagul, N. *et al.* Experienced barriers in the use of ICT for social interaction in older adults ageing in place: a qualitative systematic review protocol (SYSR-D-22-00848). *Syst Rev* 12, 192 (2023). <https://doi.org/10.1186/s13643-023-02332-z>
10. Abekah-Nkrumah, Gordon & Guerriero, Marta & Purohit, Purnima. (2014). ICTs and maternal healthcare utilization. Evidence from Ghana. *International Journal of Social Economics*. 41. 518-541. 10.1108/IJSE-11-2012-0218.
11. Munn Z, Aromataris E, Tufanaru C, Stern C, Porritt K, Farrow J, et al. The development of software to support multiple systematic review types: the Joanna Briggs Institute System for the Unified Management, Assessment and Review of Information (JBI SUMARI). *JBI Evid Implement*. 2019;17(1):36-43.
12. Sonda, A., Lwoga, E. T., & Sanga, C. (2020). Understanding the factors influencing access and use of mobile phones among farmers: A case of Kilolo district, Tanzania. *Telematics and Informatics*, 53, 101415.
13. Omole, Oluwatosin & Ijadunola, Macellina & Olotu, Ezeomu & Omotosho, Olorunfemi & Bello, Bamidele & Awoniran, Olalekan & Phillips, Abimbola & Fatusi, Adesegun. (2017). The effect of mobile phone short message service on maternal health in south-west Nigeria. *The International Journal of Health Planning and Management*. 33. 10.1002/hpm.2404.
14. Kaaya, S. F., Kajula, L., Mbwambo, J., & Njozi, M. (2019). Utilization of mobile technology to promote maternal and child health in Dar es Salaam and Mwanza, Tanzania. In *mHealth in Practice: Mobile technology for health promotion in the developing world* (pp. 53-68). Springer, Cham.
15. Musiimenta A, Tumuhimbise W, Pinkwart N, Katusiime J, Mugenyi G, Atukunda EC. A mobile phone-based multimedia intervention to support maternal health is acceptable and feasible among illiterate pregnant women in Uganda: Qualitative findings from a pilot randomized controlled trial. *Digit Health*. 2021 Feb 24;7:2055207620986296. doi: 10.1177/2055207620986296. PMID: 33717497; PMCID: PMC7917428.
16. Mbuagbaw, L., Thabane, L., Ongolo-Zogo, P., & Lester, R. T. (2019). Lessons learned from using interactive voice response (IVR) systems to deliver health interventions in low and middle-income countries. *Journal of Health Communication*, 24(11), 833-838.
17. Vasudevan, Lavanya & Ostermann, Jan & Moses, Sara & Ngadaya, Esther & Mfinanga, Sayoki. (2020). Patterns of Mobile Phone Ownership and Use Among Pregnant Women in Southern Tanzania: Cross-Sectional Survey. *JMIR mHealth and uHealth*. 8. e17122. 10.2196/17122.
18. Lund, S., Nielsen, B.B., Hemed, M. *et al.* Mobile phones improve antenatal care attendance in Zanzibar: a cluster randomized controlled trial. *BMC Pregnancy Childbirth* 14, 29 (2014). <https://doi.org/10.1186/1471-2393-14-29>
19. Kiberiti, Boaz & Sanga, Camilius & Mussa, Mussa & Tumbo, Siza & Mlozi, Prof & Haug, Ruth. (2016). Farmers' Access and Use of Mobile Phones for Improving the Coverage of Agricultural Extension Service: A Case of

<https://rijournals.com/scientific-and-experimental-sciences/>

- Kilosa District, Tanzania. *International Journal of ICT Research in Africa and the Middle East (IJICTRAME)*. 5. 35-57. 10.4018/IJICTRAME.2016010103.
20. Rojas-Lema, Ximena & Alfaro, Juanjo & Rodríguez-Rodríguez, Raúl & Verdecho, María-José. (2020). Performance measurement in SMEs: systematic literature review and research directions. *Total Quality Management & Business Excellence*. 32. 1-26. 10.1080/14783363.2020.1774357.
 21. Njau, B., Covin, C., Lisasi, E., Damian, D. J., Mushi, D. L., Boulle, A., & Mathews, C. (2019). A systematic review of qualitative evidence on factors enabling and deterring uptake of HIV self-testing in Africa. *BMC Public Health*, 19(1), 1289.
 22. Obasola OI, Mabawonku IM. Mothers' perception of maternal and child health information disseminated via different modes of ICT in Nigeria. *Health Info Libr J*. 2018 Dec;35(4):309-318. doi: 10.1111/hir.12235. Epub 2018 Sep 24. PMID: 30251307; PMCID: PMC6369683.
 23. Jang, Juyoung & Dworkin, Jodi & Hessel, Heather. (2015). Mothers' Use of Information and Communication Technologies for Information Seeking. *Cyberpsychology, behavior and social networking*. 18. 10.1089/cyber.2014.0533.
 24. Mollel D, Kagashe GA, Asingizwe D, Banzimana S, Maru SM, Niragire F. Barriers to access of maternal health commodities among pregnant women in public health facilities in Ubungo Municipal Council, Tanzania. *J Pharm Policy Pract*. 2024 Jan 9;17(1):2300457. doi: 10.1080/20523211.2023.2300457. PMID: 38234995; PMCID: PMC10793628.

CITE AS: Galabba Francis A. (2024). Utilizing Digital Platforms to Enhance Maternal and Child Health: A Case Study of Tanzania. RESEARCH INVENTION JOURNAL OF SCIENTIFIC AND EXPERIMENTAL SCIENCES 3(3):12-16.